


Multiple Choice

Identify the choice that best completes the statement or answers the question.

1. Given: y varies directly as x , and $y = -5$ when $x = 2.5$. Write and graph the direct variation function.

$$k = \frac{y}{x} = \frac{-5}{2.5} = -2$$

$$y = -2x$$



2. The number of lawns l that a volunteer can mow in a day varies inversely with the number of shrubs s that need to be pruned that day. If the volunteer can prune 6 shrubs and mow 8 lawns in one day, then how many lawns can be mowed if there are only 3 shrubs to be pruned?

$$l = \frac{k}{s}$$

$$k = l s$$

$$= 6(8)$$

$$= 48$$

$$l = \frac{48}{s}$$

$$l = \frac{48}{3}$$

16 lawns

3. Determine whether the data set represents a direct variation, an inverse variation, or neither.

x	y
2	420
3	280
4	210

$$xy = K$$

$$840$$

$$840$$

$$840$$

* Then write the equation
that models the function

Inverse

$$y = \frac{840}{x}$$

5. Identify the asymptotes, domain, and range of the function $g(x) = \frac{1}{x+7} + 3$.

- a. Vertical asymptote: $x = -7$

Domain: $\{x|x \neq -7\}$

Horizontal asymptote: $y = 3$

Range: $\{y|y \neq 3\}$

- b. Vertical asymptote: $x = 7$

Domain: $\{x|x \neq 7\}$

Horizontal asymptote: $y = 3$

Range: $\{y|y \neq 3\}$

- c. Vertical asymptote: $x = 7$

Domain: $\{x|x \neq 7\}$

Horizontal asymptote: $y = -3$

Range: $\{y|y \neq -3\}$

- d. Vertical asymptote: $x = -7$

Domain: $\{x|x \neq -7\}$

Horizontal asymptote: $y = 3$

Range: $\{y|y \neq 3\}$

~~x~~
intercept


$$(x-1)(x-3)$$

6. Identify the ~~zeros~~ and vertical asymptotes of $g(x) = \frac{x^2 - 4x + 3}{x+2}$. Then graph.


VA = $x = -2$

x intercept $x = 1$ and $x = 3$

#6



#7



7. Identify the ~~holes~~ \nwarrow VA and HA and $f(x) = \frac{2x^2 - 18}{x^2 - 16}$. Then graph.
 $(x+4)(x-4)$

No holes

VA $x = 4$

$x = -4$


HA $y = 2$

$$8. \text{ Identify holes in the graph of } f(x) = \frac{(x+6)(x+2)}{x+2}. \text{ Then graph.}$$

I identify x and y intercept
 $(-6, 0)$ $(0, 6)$

I identify points of discontinuity

Hint: holes and vertical asymptotes



$$x = -2$$

none

9

Each pair of values is from an inverse variation. Find the missing value.

$$(2, 4), (6, y)$$

$$k = xy$$

$$= 2(4)$$

$$= 8$$

$$y = \frac{8}{x}$$

$$x = \frac{8}{6}$$

$$= \frac{4}{3}$$

10. The students in a school club decide to raise money by selling hats with the school mascot on them. The table below shows how many hats they can expect to sell based on how much they charge per hat in dollars.

Price per Hat (p)	5	6	8	9
Hats Sold (h)	72	60	45	40

Inverse
 $K = xy$ 360 360 360 360

$$P = \frac{360}{h}$$

- a. What is a function that models the data?

$$P = \frac{360}{h}$$


- b. How many hats can the students expect to sell if they charge \$7.50 per hat?

$$P = \frac{360}{7.50}$$


$$48$$

14. Using the graph of $f(x) = \frac{1}{x}$ as a guide, describe the transformation and graph $g(x) = \frac{1}{x} + 3$.


a. Translate $f(x)$ right 3 units.



b. Translate $f(x)$ up 3 units.



c. Translate $f(x)$ down 3 units.



d. Translate $f(x)$ left 3 units.

